



gas fireplace  
inserts



# why choose Regency?

## Beautiful Home Heating Solutions

Regency Fireplace Products was founded almost 30 years ago with a mission to produce the finest fireplace products available anywhere. Regency has home heating solutions for any room in any home.

## Regency Quality

The Regency name means quality in every way. The product is created and built in a world class manufacturing facility focused on getting every detail just right. Represented across North America by a carefully selected professional retail network; you can rely on knowledgeable dealers and installers who understand how to make our products run safely and to the optimum performance.

## Exceptional Fire

The essence of each and every Regency fireplace is the unique flame. With its dancing flames and glowing embers, realistic logs or unique Sunrise burners your Regency fire is spectacular.

## Custom Styling

By researching current trends and styles we have created tasteful options and accessories that allow you to tailor the look of our fireplace to your home. Sleek and simple or grand and glamorous... your choice.

## Cut Home Heating Bills in Half!

Turn down your furnace and zone heat with high efficiency heat just in the rooms you spend time in. This will cut your heating bills. The entire Regency Gas Fireplace Insert line produces consistent, controllable heat even during power outages.

## One Regency = One Tree

At Regency, we are committed to protecting our environment. For every Regency sold, we will plant a tree. Working with *American Forests*, the trees planted across North America will offset carbon emissions and take one more step to restore nature's balance.

## Lifetime Warranty

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every product, that I offer a Limited Lifetime Warranty. The Regency warranty is the best in the industry. We are absolutely sure that you will be as proud of your Regency Gas Fireplace Insert as we are – I guarantee it.

Robert Little  
Founder & CEO





## index

Sunrise™ Gas Fireplace Inserts	4
Sunrise E33S	
Sunrise U32S	
Energy Gas Fireplace Inserts	
Energy E33	6
Energy U35	8
Energy U32	10
Energy U31	12
Energy E21	14
Liberty Gas Fireplace Inserts	
Liberty L234	16
Design Choices	20
Technical specs	22



# Sunrise™ E33 & U32

## Contemporary Gas Inserts



Regency E33 Sunrise Gas Insert

Finally, a contemporary fireplace insert that presents a modern look while providing high efficiency heat. The tasteful surround has been designed with subtle dimension and clean, straight lines that draw the eye to the delicate Regency Sunrise™ fire with cobalt blue crystals. Transform your drafty fireplace to a modern heater instantly!



E33 Sunrise shown with white river pebbles.

E33 shown contemporary surround and brick panels.

Sunrise fire with ceramic spa stones.

Specifications	E33S	U32S
	Natural Gas	Natural Gas
Input (BTU)	26,000	20,000
Turn down to (BTU)	13,500	10,000
EnerGuide Rating*	55.50%	N/A
Efficiency (steady state)	69.58%	N/A
Min. Fireplace Opening	E33S	U32S
Width (front)	32-1/4"	26-1/2"
Width (rear)	25"	22-1/2"
Height	24-1/2"	22"
Depth	16-3/4"	16-3/4"

\* For Canada only

For detailed specifications please see pages 22-23.

**Standard Features**

- Contemporary surround and door frame (patent pending)
- Sunrise™ fire with cobalt blue crystals (patent pending)
- Easy access controls
- Variable speed blower
- Flush front with ceramic safety glass
- 30° angled flue for versatile installations (E33 only)
- Direct vent

**Optional Features**

- LP conversion kit
- White or Natural River Pebbles
- Ceramic spa stones
- 2" or 4" hearth trim
- Remote Control or Thermostat
- Regency flex venting

# Energy E33

Large Gas Insert



Regency E33 gas insert featuring gold louvers, brick panels and contour faceplate

With 38,000 BTU of comforting, controllable heat and a full, yellow fire, this insert is guaranteed to warm your room quickly and keep it that way. This Direct Vent Gas Insert is perfect for airtight homes or basements because the sealed firebox doesn't use internal air. All Regency gas inserts can be enjoyed from the comfort of your sofa with the Regency remote control or wall thermostat.



Shown with Excalibur surround, double doors and accent kit.



Shown with black full screen doors and brick panels.



Shown with contemporary surround, door frame and brick panels.



E33 fire package with platinum bright embers.

Specifications	Natural Gas	Propane
Input (BTU)	38,000	35,500
Turn down to (BTU)	20,000	19,000
EnerGuide Rating*	60.79%	61.52%
Efficiency (steady state)	83%	84%

Minimum Fireplace Opening Faceplate	Contour/ Full screen doors		Excalibur
	Contour/ Full screen doors	Excalibur	
Width (front)	32-1/4"	34-1/2"	
Width (rear)	25"	25"	
Height	24-3/16"	26"	
Depth	16-3/4"	17-3/4"	

\* for Canada only  
For detailed specifications please see pages 22-23.

**Standard Features**

- Beautiful fire with glowing logs and platinum bright embers
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- Variable speed blower
- 30° angled flue for versatile installations
- Direct Vent

**Optional Features**

- Excalibur surround, double doors & accent kits
- Contemporary surround and door frame (patent pending)
- Louvers
- Full screen doors
- Brick panels
- Faceplates
- Hearth trims - various sizes
- FireGenie® Remote Control
- Wall thermostat
- Regency flex venting
- LP conversion kit

# Energy U35

Large Gas Insert



Energy U35 Gas Insert featuring brushed copper full screen doors and herringbone brick panels.

All Regency® gas inserts include heavy-duty ceramic safety glass that transfers high efficiency heat into the room safely while allowing a panoramic view of the fire. Take the chill off summer evenings by turning the heat down 50% and you can still enjoy the ambiance of a glowing late stage fire.



Shown with black louvers, standard brick panels and contour faceplate.



Shown with full screen doors in black and herringbone brick panels.

Shown with full screen doors in brushed nickel and herringbone brick panels.

Shown with brushed steel louvers, contour faceplate and standard brick panels.

Specifications	Natural Gas	Propane
Input (BTU)	35,000	35,000
Turn down to (BTU)	17,500	17,500
EnerGuide Rating*	67.2%	67.2%
Efficiency (steady state)	79%	79%

Minimum Fireplace Opening Faceplate	Contour/ Full screen doors	Molded/ Kensington
	Width (front)	32-1/4"
Width (rear)	25"	25"
Height	25"	26-3/4"
Depth	17"	18"

\* for Canada only

For detailed specifications please see pages 22-23.

#### Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- Variable speed blower
- Direct Vent

#### Optional Features

- Louvers
- Full screen doors
- Kensington front
- Double screen doors
- Glass trim
- Brick panels
- Faceplates
- Hearth trims - various sizes
- FireGenie® Remote Control
- Wall thermostat
- Regency flex venting
- Natural Gas or Propane

# Energy U32

Medium Gas Insert



Energy U32 gas insert featuring a Kensington front in tawny copper, keystone, 3-panel door and brick panels.

This Direct Vent Insert is a complete fireplace system that can turn your existing wood fireplace into a high efficiency, clean burning gas heater. In addition to the designer styling of the U31, this gas insert features the exclusive Kensington arched faceplate in tasteful copper. Enjoy peace of mind even during power outages as all Regency gas inserts operate without electricity.



Shown with black louvers, brick panels, and contour faceplate.



Shown with Kensington surround in black, 2-panel doors and brick panels.

Shown with gold louvers, brick panels and molded faceplate.

Shown with full screen door in black and brick panels.

Specifications	Natural Gas	Propane
Input (BTU)	30,000	30,000
Turn down to (BTU)	15,300	15,000
EnerGuide Rating*	57.17%	57.17%
Efficiency (steady state)	76%	77%

Minimum Fireplace Opening Faceplate	Contour/ Full screen doors	Molded/ Kensington
	Width (front)	26-1/2"
Width (rear)	22-1/2"	22-1/2"
Height	22"	22"
Depth	14"	15"

\* for Canada only

For detailed specifications please see pages 22-23.

#### Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- Variable speed blower
- Direct Vent

#### Optional Features

- Glass bay front
- Louvers
- Full screen doors
- Double screen doors (flush)
- Kensington front
- Glass trim
- Brick panels
- Faceplates
- Hearth trims - various sizes
- FireGenie® Remote Control
- Wall thermostat
- Regency flex venting

LP conversion kit

# Energy U31

Medium Gas Insert



Regency U31 Gas Insert featuring Excalibur surround and double doors in black, gold accents & brick panels.

This popular fireplace insert provides up to 30,000 BTU to efficiently heat a medium sized living area. There are so many ways to change the look of this fireplace. Choose from several faceplates, designer fronts including Excalibur arched surrounds, different finishes, brick panels and so much more! Zone heating the rooms you spend time in while turning down your furnace creates comfort and saves money.



Shown with brushed steel louvers, brick panels and contour faceplate.



Shown with full screen doors in brushed nickel and herringbone brick panels.

Shown with Excalibur surround and double doors in brushed copper.

Shown with bay front, gold louvers, herringbone brick panels and contour faceplate.

Specifications	Natural Gas	Propane
Input (BTU)	30,000	27,500
Turn down to (BTU)	14,500	13,700
EnerGuide Rating*	52.9%	48.07%
Efficiency (steady state)	76%	77%

Minimum Fireplace Opening Faceplate	Contour/ Full screen doors	Molded/ Excalibur
	Width (front)	26-1/2"
Width (rear)	22-1/2"	22-1/2"
Height	21"	21"
Depth	15"	16"

\* for Canada only  
For detailed specifications please see pages 22-23.

#### Standard Features

- Beautiful fire with glowing logs, platinum bright embers and fire grate
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- Variable speed blower
- B Vent

#### Optional Features

- Excalibur surround, double doors & accent kits
- Glass bay front
- Louvers
- Full screen doors
- Double screen doors (flush)
- Glass trim (bay only)
- Brick panels
- Faceplates
- Hearth trims - various sizes
- FireGenie® Remote Control
- Wall thermostat
- New fireplace kit
- Regency flex venting
- Conversion kit

# Energy E21

Small Gas Insert



Energy E21 Gas Insert featuring flush front, contour faceplate, brushed steel louvers and herringbone brick panels.

If you have a smaller fireplace opening or want to heat a smaller living space, you don't have to sacrifice a beautiful fire and high efficiency. The E21 Energy Gas Insert has been designed to fit almost anywhere – including bedrooms and alcoves. Enjoy consistent, controllable, convenient heat at the flick of a switch.



Shown with flush front, gold louvers, brick panels and mitred faceplate.



Shown with black full screen doors and herringbone brick panels.

Shown with brushed nickel full screen doors and herringbone brick panels.

Shown with black louvers, brick panels and contour faceplate.

Specifications	Natural Gas	Propane
Input (BTU)	23,500	22,500
Turn down to (BTU)	11,750	11,250
EnerGuide Rating*	60.60%	53.48%
Efficiency (steady state)	77%	78%

Minimum Fireplace Opening Faceplate	Contour/ Full screen doors	
	Molded	
Width (front)	26-1/2"	29-1/8"
Width (rear)	18"	18"
Height	17-3/4"	18-5/8"
Depth	14"	15"

\* for Canada only

For detailed specifications please see pages 22-23.

#### Standard Features

- Beautiful fire with glowing logs and platinum bright embers
- Flame height adjustment control with 50% turn down
- Flush front with ceramic safety glass
- Easy access controls
- Variable speed blower
- B Vent

#### Optional Features

- Glass bay front
- Louvers
- Full screen doors
- Glass trim (bay front only)
- Brick panels
- Faceplates
- Hearth trims - various sizes
- FireGenie® Remote Control
- Wall thermostat
- New fireplace kit
- Regency flex venting
- LP conversion kit

# Liberty L234

Small Gas Insert



Liberty L234 gas insert featuring a contemporary faceplate, brick panels and hearth riser.

The Regency® Liberty L234 is a clean front fireplace insert that will slide easily into your dated, drafty steel fireplace and transform it to a high efficiency heater in minutes. Choose from 2 tasteful fireplace finishing faceplates that frame the beautiful fire while covering the gap in your fireplace opening for a sleek, finished look. Enjoy a full fire with platinum bright embers and high efficiency, controllable heat.



Shown with contour faceplate, hearth riser and brick panels.



Shown with contemporary faceplate, hearth riser, backing plate and brick panels.



Shown with contour faceplate, hearth riser, backing plate and brick panels.



L234 fire package with platinum bright embers.

Specifications	Natural Gas	Propane
Input (BTU)	23,500	21,500
Turn down to (BTU)	12,500	11,000
EnerGuide Rating*	63.3%	64.5%
Efficiency (steady state)	74%	74%

Minimum Fireplace Opening Faceplate	Faceplate	
	Contour	Contemporary
Width (front)	25"	25"
Width (rear)	16"	16"
Height	17"	17"
Depth	14"	14"

\* for Canada only

For detailed specifications please see pages 22-23.

#### Standard Features

- Flush Front with Ceramic Safety Glass
- Realistic Logs with Beautiful Flames and platinum bright embers
- 30° Angled Flue (for versatile installation)
- Clean Front 234 sq. in. Viewing Area
- Variable Speed Blower
- Easy Access Controls
- Flame Height Adjustment with up to 50% turndown
- Easy Clean Glass System
- Direct Vent

#### Optional Features

- Brick Panels
- Contemporary or Contour Faceplate
- Customizable Backing Plate
- Adjustable Hearth Riser
- Wall Thermostat or FireGenie® Remote
- Regency Flex Venting
- 3" to 2" air intake reducer
- LP conversion kit



# You deserve a fireplace makeover



before

Problem:

- ◆ I have a drafty wood or gas fireplace.
- ◆ I have inefficient gas logs.
- ◆ I need an updated fireplace style.



after

Solution:

- ◆ Choose the gas fireplace insert that fits your opening and install
- ◆ Voila! Updated fire, updated fireplace style, and much lower heating bill.

## comfort controls

### FireGenie® Remote Control

The FireGenie offers heat control at the touch of a button. Set the time and temperature so that your fire warms your home automatically.

### Programmable Wall Thermostat

By setting a specific temperature with a Regency® wall thermostat you can maintain a constant comfort level in your home for several hours or all day long.




# Stop losing heat



Older fireplaces have efficiency ratings of just 5-10%. This low efficiency is due to the open combustion design that allows the heated room air to be drawn into the fire, wasting energy and cooling the rest of the house.

In contrast, a fireplace insert is an insulated, sealed system that has a high efficiency and translates into more heat output and helps you save money on your heating bill.

## what is direct vent?



A Regency® Gas Insert is a specially engineered, sealed fireplace that slips into your existing masonry or pre-fab fireplace to create a high efficiency heating system with a beautiful fire. The airtight firebox means that you will keep all of the comforting heat generated from your Regency inside your home. Even when your fireplace is turned off, you will not lose heat up the chimney.

All the air used by the fireplace for combustion comes from outside the home and is vented to outside the home maintaining indoor air quality.

You want a direct vent gas insert if you:

- live in an airtight house.
- have a basement application.



# design choices

## Glass Front Styles



Flush front



Bay front

## Louvers



Gold



Brushed Steel



Black

## Excalibur surround finishes




Polished Gold



Antique Gold



Antique Copper\*



Antique Nickel\*



Black

## Full Screen Door finishes



Black



Brushed Copper\*



Brushed Nickel\*

## Kensington front finishes



Tawny Copper



Smithy Black

## Brick Panels



Herringbone - Rustic Brown



Standard - Rustic Brown



Standard - Old Town Red

## FireArt™



Removable FireArt™ comes with Kensington fronts.

\*Note: The brushed and antique copper and nickel finishes are made from genuine copper and nickel that will naturally change tone over time and might not appear exactly as shown.




Accessories - at a glance			E33S	U32S	E33	U35	U32	U31	E21	L234
Flush Front			✓	✓	✓	✓	✓	✓	✓	✓
Bay Glass Front			-	-	-	★	★	★	★	-
Sunrise™ fire	Cobalt blue crystals		✓	✓	-	-	-	-	-	-
	Ceramic spa stones		★	★	-	-	-	-	-	-
Classic look	Faceplates	Contemporary	★	★	★	-	-	-	-	★
		Molded	-	-	-	★	★	★	★	-
		Contour	-	-	★	★	★	★	★	★
		Custom	-	-	-	★	★	★	★	★
	Louvers	Black	-	-	★	★	★	★	★	★
		Black/Brushed Steel	-	-	★	★	★	★	★	★
		Black/Gold	-	-	★	★	★	★	★	★
	Double Screen Doors	Black	-	-	-	★	★	★	-	-
	Glass Trim Flush	Brushed Steel	-	-	-	★	★	-	-	-
	Glass Trim Bay	Gold	-	-	-	★	★	★	★	-
Excalibur Arch Surrounds	Surround	Polished Gold	-	-	-	-	-	★	-	-
		Antique Gold	-	-	-	-	-	★	-	-
		Antique Nickel	-	-	-	-	-	★	-	-
		Antique Copper	-	-	-	-	-	★	-	-
		Black	-	-	★	-	-	★	-	-
	Excalibur double screen doors	Polished Gold	-	-	-	-	-	★	-	-
		Antique Gold	-	-	-	-	-	★	-	-
		Antique Nickel	-	-	-	-	-	★	-	-
		Antique Copper	-	-	-	-	-	★	-	-
		Black	-	-	★	-	-	★	-	-
Kensington Surrounds (2 or 3-panel door)	Tawny Copper	-	-	-	★	★	-	-	-	
	Smithy Black	-	-	-	★	★	-	-	-	
Full Screen Doors	Black	-	-	★	★	★	★	★	★	
	Brushed Nickel	-	-	-	★	★	★	★	★	
	Brushed Copper	-	-	-	★	★	★	★	★	
Brick Panels	Standard - Rustic Brown	-	-	★	★	★	★	★	★	
	Standard - Old Town Red	-	-	★	★	★	★	★	★	
	Herringbone - Rustic Brown	-	-	-	★	★	★	★	★	
Hearth Trim (for sizes see page 22)			-	-	★	★	★	★	★	
New Fireplace Kit (zero clearance kit)			-	-	-	-	-	★	★	
Blower (with fan speed controller)			✓	✓	✓	✓	✓	✓	✓	
Wall Thermostat			★	★	★	★	★	★	★	
FireGenie™ Remote Control			★	★	★	★	★	★	★	
Faceplate Mounted on/off Switch			✓	✓	✓	✓	✓	✓	✓	
Direct Vent			✓	✓	✓	✓	✓	-	✓	
B-vent			-	-	-	-	-	✓	✓	
LP conversion kit			★	★	★	-	★	★	★	

- Not available
- ✓ Standard
- ★ Optional



# specifications

Specifications		E33S	U32S	E33	U35	U32	U31	E21	L234
Input (BTU)	Natural Gas	26,000	20,000	38,000	35,000	30,000	30,000	23,500	23,500
	Propane	23,000	20,000	35,500	35,000	30,000	27,500	22,500	21,500
Turn Down to (BTU)	Natural Gas	13,500	10,000	20,000	17,500	15,300	14,500	11,750	12,500
	Propane	12,000	10,000	19,000	17,500	15,000	13,700	11,250	11,000
EnerGuide Rating (Canada only)	Natural Gas	55.50%	N/A	60.79%	67.2%	57.17%	52.9%	50.60%	63.3%
	Propane	56.46%	N/A	61.52%	67.2%	57.17%	48.07%	53.48%	64.5%
Efficiency (steady state)	Natural Gas	70%	N/A	83%	79%	76%	76%	77%	74%
	Propane	72%	N/A	84%	79%	77%	77%	78%	74%

Dimensions	E33S	U32S	E33	U35	U32	U31	E21	L234
A	32-1/4"	28"	32-1/4"	32-1/4"	28"	27-7/8"	26"	24-3/4"
B	23-13/16"	20"	23-13/16"	24"	20"	20-1/4"	17-1/2"	16-7/8"
A1	27-7/8"	N/A	30-3/8"	30-1/8"	24-1/4"	24-1/2"	24-1/2"	17-3/4"
B1	13-3/4"	N/A	14-7/8"	15-1/2"	11-3/8"	12-5/8"	10-7/8"	12-1/2"
C	16-3/4"	13-3/4"	16-3/4"	16-1/8"	13-3/4"	13-1/2"	13-1/4"	13"
D	11-3/8"	10-3/4"	11-3/8"	9-7/8"	10-3/4"	11-3/4"	10-3/4"	11-3/4"
E	-	-	-	3-3/4"	3-3/4"	3-3/4"	3-3/4"	-
F	-	1-1/16"	-	1-1/2"	1-1/16"	5/8"	1"	-
G	24-1/2"	22-1/2"	24-1/2"	24-1/2"	22-1/2"	22-1/2"	17-1/2"	15-1/2"



Minimum Fireplace Openings	Width (front)	Width (rear)	Height	Depth
E33S contemporary faceplate	32-1/4"	25"	24-3/16"	16-3/4"
U32S contemporary faceplate	26-1/2"	22-1/2"	22"	14"
E33	contour faceplate	32-1/4"	25"	24-3/16"
	contemporary faceplate	32-1/4"	25"	24-3/16"
	full screen doors	32-1/4"	25"	24-3/16"
	Excalibur surround	34-1/2"	25"	26"
U35	contour faceplate	32-1/4"	25"	17"
	molded faceplate	34-1/2"	25"	18"
	full screen doors	32-1/4"	25"	17"
	Kensington front	34-1/2"	25"	18"
U32	contour faceplate	26-1/2"	22-1/2"	14"
	molded faceplate	29"	22-1/2"	15"
	full screen doors	26-1/2"	22-1/2"	14"
	Kensington front	29"	22-1/2"	15"
U31	contour faceplate	26-1/2"	22-1/2"	15"
	molded faceplate	29"	22-1/2"	16"
	full screen doors	26-1/2"	22-1/2"	15"
	Excalibur surround	29"	22-1/2"	16"
E21	contour faceplate	26-1/2"	18"	14"
	molded faceplate	29-1/8"	18"	15"
	full screen doors	26-1/2"	18"	14"
L234	contemporary faceplate	25"	16"	14"
	contour faceplate	25"	16"	14"







Faceplates	E33S		U32S		E33		U35		U32		U31		E21		L234	
	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Contemporary	46-3/4"	30-5/8"	42-1/8"	27"	46-3/4"	30-5/8"	--	--	--	--	--	--	--	--	27-3/4"	21"
Contour Standard	--	--	--	--	45-9/16"	31-1/8"	45-1/2"	32-1/8"	40-1/8"	26-1/8"	40-1/8"	26-1/8"	40-1/8"	23-3/4"	27-1/2"	20-3/4"
Contour Oversize	--	--	--	--	49-9/16"	33-1/8"	49-9/16"	34-1/8"	44-1/8"	28-1/8"	44-1/8"	28-1/8"	44-1/8"	25-3/4"	--	--
Custom Flat	--	--	--	--	--	--	50"	40"	48"	34"	48"	34"	48"	32"	--	--
Molded	--	--	--	--	--	--	45-3/8"	32"	39-7/8"	26"	39-7/8"	26"	39-7/8"	23-5/8"	--	--
Hearth Trim - sizes	1" 2" 4" 6" for contour faceplate 4" for molded faceplate 2", 4" for contemporary faceplate															
Excalibur surround	--	--	--	--	45-9/16"	33-1/4"	--	--	--	--	40-1/8"	27-7/8"	--	--	--	--
Full screen doors*	--	--	--	--	47-3/8"	33-3/16"	47"	33-3/16"	41-5/8"	29-1/4"	41-5/8"	29-1/4"	41-9/16"	29-1/4"	--	--
Kensington Front	--	--	--	--	--	--	45-1/2"	32-1/4"	40-1/8"	26-1/4"	--	--	--	--	--	--

\* depth = 2"


Full Screen Doors



Kensington Front




Excalibur Surround



Minimum Clearance to Combustibles		E33	E33S	U35	U31/32	E21	L234
A	Side Wall	8"	8"	8"	10"	9"	8"
B	Ceiling	47"	47"	34"	47-1/2"	36"	56"
C	Mantel Height (min.)	15"	15"	11"	13"	14"	21"
D	Mantel Depth (min.)	3-1/2"	3-1/2"	3-1/2"	3-1/2"	3-1/2"	1"
E	Alcove Width	76"	76"	48"	48"	48"	60"
F	Max. Alcove Depth	36"	36"	36"	36"	36"	36"

Non-Combustible Hearth Requirement		E33	E33S	U35	U31/32	E21	L234
G	Hearth Height	1-1/4"	0"	0"	0"	0"	1-1/2"
H	Hearth Width	45-1/2"	0"	0"	0"	0"	28"
I	Hearth Depth	13"	0"	0"	0"	0"	12"

Note: Before installing please refer to the product manual.



The Regency Gas Inserts are listed as: Vented Gas Fireplace Heater and Certified for: CANADA and USA

The Regency Gas Inserts are tested & approved by Intertek Warnock Hersey to the following standards:

MODEL	ANSI	CSA	CAN/CGA	Approval #:	Approved for:
E33-1	Z21.88b-2003	2.33b-2003	2.17-M91	303530	Bedroom, Alcove & Mobile Homes
E33S-1	Z21.88a-2007	2.33a-2007	2.17-M91	16042	Bedroom, Alcove & Mobile Homes
U35-1	Z21.88b-2003	2.33b-2003	2.17-M91	15947	Bedroom, Alcove & Mobile Homes
U32-5	Z21.88b-2003	2.33b-2003	2.17-M91	15946	Bedroom, Alcove & Mobile Homes
U31-2	Z21.88b-2003	2.33b-2003	2.17-M91	15948	Bedroom & Alcove
E21-3	Z21.88b-2003	2.33b-2003	2.17-M91	476-1428-00	Bedroom & Alcove
L234	Z21.88-2005	2.33-2005	2.17-M91	3118729C0Q-002	Bedroom, Alcove & Mobile Homes

# design your own fireplace

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

Visit [www.regency-fire.com](http://www.regency-fire.com) today and surf through our selection of products and accessories to design your own fireplace. The endless options are just a click away! Change the style until you have your perfect fireplace... then ask your friends and family for their opinion!

Click on Fireplace Design Centre at [www.regency-fire.com](http://www.regency-fire.com) and then visit your authorized local dealer to design your own fireplace.



## fireplace selection worksheet



We want you to enjoy your beautiful Regency fireplace for years to come. To help you figure out which product is just right for your home, fill in the following worksheet. Once complete, visit your nearest Regency dealer. Your professional Regency dealer will assess your needs - including local building codes - and install your Regency.

### 1. BASIC PRODUCT FUNCTION QUESTIONS

- a. I would like my inbuilt to provide me with:  Supplemental heating  Priority heating
- b. The room/rooms I would like to heat are: \_\_\_\_\_ Square feet
- c. My fuel source will be:  Natural gas  Propane
- Has gas been piped to the proposed fireplace area?  Yes  No

### 2. FIREPLACE PRODUCT TYPE AND MEASUREMENTS

- a. I am:  Installing a new fireplace  Installing into an existing fireplace
- b. Fill in the following measurements:
- Ceiling Height: \_\_\_\_\_
- Location in the room: \_\_\_\_\_
- c. What is the:
- Flooring material: \_\_\_\_\_
- Wall material: \_\_\_\_\_
- Ceiling material: \_\_\_\_\_
- d. Fireplace opening dimensions
- Width (front) \_\_\_\_\_
- Width (back) \_\_\_\_\_
- Height \_\_\_\_\_
- Depth \_\_\_\_\_



[www.regency-fire.com](http://www.regency-fire.com)

your regency dealer

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>