





ME60

Horns

2" throat entry
60° x 40° nominal coverage
Constant directivity
Very good loading down to 1 kHz



Specifications

Throat Diameter (1)	50 mm (2 in)
Nominal Coverage Horizontal	60°
Nominal Coverage Vertical	40°
Cutoff Frequency	800 Hz
Material	Cast Aluminium
Dimensions	270x237x202 mm (10.6x9.3x7.9 in)

Mounting and Shipping Info



Four 6.5 mm (0.25 in) holes 90°
on 102 mm (4 in) diameter

Baffle Cutout Dimensions	232x207 mm (9.1x8.1 in)
Net Weight	1.6 kg (3.5 lb)
Shipping Weight	2.2 kg (4.8 lb)
Shipping Box	290x260x260 mm (11.4x10.2x10.2 in)

¹Horn mounted on B&C DE750 compression driver

Horns
HF Drivers
Coaxials
LF Nd Drivers
LF Drivers





Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>