

Lumbar adjusts and flexes to support your body



Azeo™ provides a healthy way to sit at a price everyone can afford





Extended backrest provides additional neck and shoulder support (available on certain models)



Lumbar support flexes with the user's body movement, conforming to body shape. Tension is adjustable



Height adjustable arms - adjust up to 4"to help alleviate arm and wrist discomfort



provides exceptional strength and stability. Carpet casters are standard. Hard surface casters and glides are optional

Azeo provides adjustable and flexible "active" lumbar support. It can be adjusted to provide a varied intensity of lumbar support and will flex in response to the user's body movements and requirements. This provides exceptional long-term comfort and support, helping to alleviate back, neck, and shoulder tension. Pneumatic seat height adjustment is standard on all models. Synchro-tilter High Back Synchro-Tilter



Synchro Tilter

Back and seat move in a two-to-one ratio. Can be locked in infinite number of positions. Tilt tension control and seat depth adjustment.



Multi-Tilter

Forward and rearward seat tilt with infinite tiltlock control and forward tilt lockout. Tilt tension control and seat depth adjustment.



Tilter

Single position tilt-lock control. Tilt tension control and seat depth adjustment.



Operator

Single lever seat and back angle adjustment. Seat and back adjust independently and lock in any position or free float. Seat depth adjustment.



Posture

Free-float back angle adjustment with tension control and seat depth adjustment.



Task

Seat depth adjustment.

All the Azeo chairs have pneumatic seat height controls

Specifications

| | | DIMENS | IONS | н | SEAT HEIGHT | | | DIMENS | IONS D | н | SEAT HEIGHT |
|--------|------------|----------------------------------------------------------------|-------------------------|------------|-------------------------|------------|---------------------------------------------------------------------|-------------------------------------------------------|--------------------|-------------|--------------------------|
| | | IN mm | IN mm | IN mm | IN mm | | | IN mm | IN mm | IN mm | IN mm |
| 2050-1 | P | High Back Synchro-Tilter – with height adjustable arms | | | | 2051-6 | P | Low Back Task – with height adjustable arms | | | |
| | 不 | 26 660 | 24½ 622 | 45 1143 | 17-21 <i>432-533</i> | 20; | 7 | 26 660 | 24½ 622 | 37 940 | 17-21 <i>432-533</i> |
| 2050-3 | P | High Back Multi-Tilter – with height adjustable arms | | | | 2051-7 | P | Low Back Posture – with height adjustable arms | | | |
| | * | 26 660 | 24½ 622 | 45 1143 | 17-21 <i>432-533</i> | 20! | T | 26 660 | 24½ 622 | 37 940 | 17-21 <i>432-533</i> |
| 2050-4 | S P | High Back Tilter – with height adjustable arms | | | | 2057-5 | | Low Back Operator – no arms | | | |
| | 7 | 26 660 | 24½ 622 | 45 1143 | 17-21 <i>432-533</i> | 205 | 不 | 21 533 | 24½ 622 | 37½ 953 | 18-22 <i>457-55</i> 9 |
| 2050-5 | P | High Back Operator – with height adjustable arms | | | | 2057-6 | | Low Back Task – no arms | | | |
| | # | 26 660 | 24½ 622 | 45 1143 | 17-21 <i>432-533</i> | 205 | F | 21 533 | 24½ 622 | 37 940 | 18-22 <i>457-55</i> 9 |
| 2051-1 | P | Low Back Synchro-Tilter – with height adjustable arms | | | | 2057-7 | Low Back Posture – no arms | | | | |
| | * | 26 660 | 24½ 622 | 37½ 953 | 17-21 <i>432-533</i> | 205 | 7 | 21 533 | 24½ 622 | 37 940 | 18-22 <i>457-55</i> 9 |
| 2051-3 | P | Low Back Multi-Tilter – with height adjustable arms | | | | 2058-7 | Low Back Posture Task Drafting Stool – with height adjustable arms | | | | |
| | 不 | 26 660 | 24½ 622 | 37½ 953 | 17-21 <i>432-533</i> | 20 | 1 | 26 660 | 24½ 622 | 45½ 1156 | 22½-32½ 572-826 |
| 2051-4 | P | Low Back Tilter – with height adjustable arms | | | | 2059-7 | P | Low Back Posture Task Drafting Stool – no arms | | | |
| | 7 | | 17-21 <i>432-533</i> | 205 | 1 | 20½ 521 | 24½ 622 | 45½ 1156 | 22½-33½ 572-851 | | |
| 51-5 | P | Low B | ack Opera | tor – with | height adjustable | | | | | | |

26

The Global Group, 1350 Flint Rd., Downsview ON Canada M3J 2J7 Sales & Marketing: Tel (1-877) 446-2251 Customer Service: Fax (800) 361-3182 Government Customer Service: Fax (416) 739-6319

241/2

622

37½

953

Global - U.S.A.

17-21

432-533

17 West Stow Road P.O. Box 562 Marlton New Jersey U.S.A. 08053 Tel (856) 596-3390 (800) 220-1900 Fax (856) 596-2516

Global - International 560 Supertest Road Downsview Ontario Canada M3J 2M6 Tel (416) 661-3660 (800) 668-5870 Fax (416) 667-1821

GGI Office Furniture (UK) Ltd. Global Way Darwen Lancashire UK BB3 ORW Tel +44(0) 1254 778500 Fax +44(0) 1254 778519

© 2004 ® ™ Tade-Marks of GLOBAL TOTAL OFFICE. These products may be covered by one or more issued patents or pending patent applications in Canada, the U.S. and elsewhere.
All intellectual property rights in applicable trademarks, patents and industrial designs are strictly reserved. Specifications are correct at time of printing. Printed in Canada. Cleative / Global Group Design Center 020904 / R3 410.833



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com